



TS5.226 Fig. 1
Left Hand Hung.



2-6 Model

N° of Turns	Direction	Size
5	-	2
0	*	3
0	+	4*
3	+	5
8	+	6



This Template Covers Regular Arm Installation to 180°

EN1154

Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg



1121-CPR-AD0312

Leado Door Controls Ltd
N° 4 Alley 54 Tienjhongyang
Yuanlin Town
Changhua County 510
Taiwan ROC


BOSS TS5.226

2009


4 8 3 1 1 3



TS5.226 Fig. 1
Right Hand Hung.



2-6 Model		
N° of Turns	Direction	Size
5	-	2
0	*	3
0	+	4*
3	+	5
8	+	6



	Leado Door Controls Ltd N° 4 Alley 54 Tienjhongyang Yuanlin Town Changhua County 510 Taiwan ROC	BOSS TS5.226					
		2009					
1121-CPR-AD0312	EN 1154:1996+A1:2002	4	8	3/6	1	1	3

This Template Covers Regular Arm Installation to 180°

EN1154		
Door Closer Power Size	Recommended Door Leaf Width Max mm	Test Door Mass (Kg)
1	750mm	20 Kg
2	850mm	40 Kg
3	950mm	60 Kg
4	1100mm	80 Kg
5	1250mm	100 Kg
6	1400mm	120 Kg

